




Know your rig.
Own your game.

A clearer view of your gaming PC.
Before you play. While you play.
After the moments that matter.

CHECK / MONITOR / RECORD



Your PC, in one place.

Alpha product overview. Actual DIAG interface shown with illustrative readings throughout this pamphlet.

Less guesswork. More context.

A stutter, a hot component or a slow connection should be easier to investigate.

DIAG brings performance readings, system checks and session history into one Windows companion. See what needs attention, keep an eye on your rig from another screen, and revisit the moment something felt wrong.

BEFORE YOU PLAY

Check your readiness

Run Game On to review updates, temperatures and other configured checks - with memory and temporary-file cleanup included.

WHILE YOU PLAY

Keep your game in view

Follow supported hardware and network readings from a phone, tablet or another PC on your local network.

AFTER YOU PLAY

Review what happened

Open a dated session report and compare your own marked moments with the readings around them.

DIAG helps you understand the data. Results depend on the sensors and measurements available on your PC.

One button. A clearer starting point.


Game On turns your pre-game checks into an easy-to-read checklist.

See the result of every check.

Review graphics-driver and Windows Update status, CPU and GPU temperatures, memory usage, fan speeds, storage space, uptime and reported display refresh-rate options.

Make the cleanup visible.

Choose eligible apps to close normally on the gaming PC, or skip that step. Game On then frees eligible background memory and cleans old temporary files, showing the measured results.



Checks do not automatically install updates, change display settings or guarantee higher FPS. Personal files are left alone.


Keep your game front and center.

Put your PC readings on the screen that works for you.

Your phone. Your tablet.
Your other PC.

Install the Windows companion, open Connect a Device, then scan the QR code or enter the displayed network address and pairing code.

Choose your Gaming View tiles and layout. Use a second-monitor browser, iPhone or Android. Pair other devices over your private network.



YOUR GAMING VIEW, ON ANOTHER SCREEN

Pair through your own PC using its QR code or network address. Some controls require the gaming PC.

See the readings. Find the next step.

Bring the measurements and the tools you need into a consistent dashboard.




LOAD + TEMPERATURE

Follow supported CPU/GPU readings and short trends.



YOUR RIG, YOUR LIMITS

Set warning and critical thresholds that fit your hardware.




TOOLS WITH CONTEXT

Review memory, storage, power, displays and update status.

Alpha sensor coverage varies. Live GPU telemetry currently relies on NVIDIA; other vendor support is not equivalent.

Is it your rig – or the connection?

Get useful clues from traffic, latency and connection stability.



Watch everyday traffic.

See Ethernet or Wi-Fi download and upload activity over time.

Test between matches.

Run a Cloudflare download test, review idle and loaded latency, then compare saved results.

Keep the context.

Review connection stability alongside recorded gaming-session data.

COMPARE THE ROUTES

Gateway and internet probes help you see where delays appear.

Active speed tests use bandwidth and measure download, not upload. ICMP probe loss is not a measure of game-packet loss.

Turn “that felt wrong” into a moment.

Record the readings. Mark the event. Review the context.

01 Start a session

Record supported CPU, GPU, memory, frame-timing and network readings while you play.

02 Mark the Moment

Add a note when you notice a stutter, slowdown or connection issue. DIAG saves it with a timestamp and nearby readings.

03 Review your report

Stop recording to view the results. Reopen dated reports and your notes later for debugging, or save an HTML copy for closer review.

Gaming session report

Close

10/2/2026, 5:43:45 PM → 10/2/2026, 5:45:45 PM · 0h 2m 0s · complete

62 saved samples · 0 collection gaps longer than 6 seconds.

No configured thresholds exceeded in recorded readings

No critical threshold observations.

No warning threshold observations.

0 metric(s) unavailable throughout the session. Review coverage below.

Frame selection: Pinned rendering stream demo:1. Captured sources: ExampleGame.exe (PID 1200). Auto mode can combine readings from different apps.

Save a copy of report

Ask Your AI about this session

Telemetry, not video. Frame timing uses sampled rolling windows, not a complete per-frame trace or 1% low FPS. Coverage shows valid readings / recorded samples; gaps are counted separately. All temperatures are reported in °C.

Performance summary

Reading	Average	Minimum	Maximum	Coverage
CPU load - %	42.4	33.0	51.0	100.0%
Memory usage - %	48.0	48.0	48.0	100.0%
Memory used - GiB	15.4	15.4	15.4	100.0%
CPU temperature - °C	68.1	65.0	71.0	100.0%
NVIDIA GeForce RTX 5070 Ti load - %	88.2	84.0	92.0	100.0%
NVIDIA GeForce RTX 5070 Ti temperature - °C	66.0	66.0	66.0	100.0%
NVIDIA GeForce RTX 5070 Ti power - W	235.0	235.0	235.0	100.0%

Sessions record telemetry, not screen video or audio. FPS and frame timing depend on available data and the selected app.

Your question. Your rig. Your AI.

Build a useful prompt from the information DIAG already helps you understand.

Bring the right context.

Ask about graphics settings, stutters, cooling or your connection. Select hardware, live readings and saved session context to include.

Make a marked moment actionable.

Add the moment you recorded, inspect the prompt, then copy or download it for the AI service you prefer.

You choose what leaves your PC.

The screenshot shows the 'Build your question' interface of the DIAG application. It is divided into two main sections: '01 Build your question' and '03 Preview & copy'. The '01' section contains several input fields and checkboxes: 'What are you working on?' (set to 'Graphics performance'), 'Ask your AI' (with a text input 'How can I tweak my video card for the best performance?'), 'Game or application (optional)' (with a text input 'For example: the game you play most'), 'Your priority' (set to 'Balanced experience'), 'Choose your context' (with checkboxes for 'Relevant PC specifications', 'Include the full rig summary', and 'Current readings & thresholds'), 'Saved gaming session' (set to 'No session - current setup only'), and 'Mark the Moment' (set to 'Session summary + up to 8 marked moments'). A 'Generate AI Prompt' button is at the bottom. The '03 Preview & copy' section shows a preview of the generated prompt and a 'Copy Prompt' button. The interface is dark-themed with purple accents.

YOUR RIG. YOUR QUESTION. YOUR AI.

Turn your data into direction.

Build a precise prompt with your setup and the moments that matter. Preview it, copy it, then ask the AI you choose.

PREPARED LOCALLY • YOU CHOOSE WHAT TO SHARE

01 Build your question

What are you working on?

Graphics performance

Ask your AI

How can I tweak my video card for the best performance?

Optimize my GPU Investigate a stutter

Game or application (optional)

For example: the game you play most

Your priority

Balanced experience

03 Choose your context

☒ Relevant PC specifications

☐ Include the full rig summary

☒ Current readings & thresholds

Saved gaming session

No session - current setup only

Mark the Moment

Session summary + up to 8 marked moments

1 saved session(s) available. Current readings are captured when you generate.

Generate AI Prompt

03 Preview & copy READY WHEN YOU ARE

Review the exact text before sharing. Nothing is sent to an AI service by DIAG. Notes and rendering-app names may be included when you select a session.

Your generated prompt

Your hardware-aware prompt will appear here. Choose a question and select Generate AI Prompt.

Copy Prompt Save as text

Next: ask your AI

Paste this prompt into your preferred AI chat. For a long session, DIAG includes a compact summary and selected nearby readings, not hours of raw data. Your AI may ask follow-up questions.

DIAG prepares the prompt locally. It does not automatically send data or provide AI answers. Provider terms and costs may apply.

Give your rig an identity.

Your gamer handle. Your hardware. A card you can keep or share.



PlayerOne's Rig



EQUIPPED FOR PLAY

HARDWARE LOADOUT

01	PROCESSOR	Example 16-core gaming CPU
02	GRAPHICS	NVIDIA GeForce RTX 5070 Ti
03	MEMORY	32 GiB RAM 6000 MT/s configured
04	STORAGE	2.00 TB total 1 drive(s) · SSD
05	DISPLAY	2560 × 1440 144 Hz
06	PLATFORM	Microsoft Windows 11 x64

DIAG / MY RIG

Make it yours.

Open My Rig, choose Rig Card and enter your gamer handle. Preview your personalized Violet card before saving it.

Save the image. Keep the details.

Download a high-resolution PNG, or use the separate Copy Text button for your complete hardware summary.

Illustrative hardware shown. Downloads save to the device running your browser. DIAG does not publish your card.

Your thresholds. Your signals.

Stay informed while the game keeps your attention.

See it. Hear it. Choose both.

Enable visual and audible alerts independently. Choose the readings that matter and use your own warning and critical thresholds.

Less noise. More useful timing.

Adjust the delay to filter brief spikes, test the sound and mute it for 15 minutes. Review recent alerts without leaving DIAG.

Live gaming alerts

Get a visual alert and an optional sound when a reading stays beyond your threshold. Uses Threshold Overrides above. Preferences apply to this browser.

☒ Visual alerts

☒ Memory usage

☒ PC uptime

☐ Sound alerts

☒ Fan speeds

Warning delay
(seconds)

10

☒ CPU temperature

☒ GPU temperature

☒ Battery charge

☒ Disk free space

Critical delay
(seconds)

3

Save alert settings

Enable / test sound

Mute for 15 minutes

Sound alerts are off.

Keep this dashboard open and the device awake. Alerts appear here, not over the game. Browser suspension, device sound settings and Bluetooth routing can affect audio. Enable sound on each device after opening DIAG.

Recent alerts

No alerts this visit.

Keep the dashboard open and device awake. Browser audio needs activation. Alerts appear in DIAG, not over the game.

Useful feedback starts here.

A clear description and the right context help improve DIAG.

Describe what happened.

Explain the issue and choose whether to include hardware details and current readings.

Review. Save. Share.

Preview your support file and download it. Open a prepared email, attach the file manually and send it when ready.

diag.software.support@gmail.com

Report an Issue

Close

Issue title

Temperature reading unavailable

What happened? Include steps, expected behavior and actual behavior.

After starting DIAG, CPU temperature remained unavailable. Other readings appeared normally.

☒ Include hardware summary

☒ Include current readings and service status

No pairing codes, network addresses, serial numbers, raw logs or recordings are collected automatically. Review your description for personal information. The complete file is shown below before you share it.

Prepare support file

Save support file

Copy email text

Send to diag.software.support@gmail.com. Save the file, open your email app, attach the file manually, and review before sending. Downloads are saved on the device using this browser. If no email app opens, use Copy email text and paste it into your webmail. DIAG does not send email automatically.

You control what you share. No automatic email, raw logs or recordings. Downloads save on the browser device.

Know where your space goes.

Find large files and growing folders before storage gets in the way.

SYSTEM HEALTH / STORAGE

Investigate, then decide

Scan a folder, review the largest files and compare growth with the last complete scan. Open results in Explorer to decide what to keep.

FOLLOW THE SPACE

Disk Space Detective

Local folder scans

Find your largest folders and files. Scan the same folder again to see what grew. No files are deleted by a scan.

Choose folder & scan

Scan again

Stop scan

Open scanned folder

Scan complete - C:\Example\Games

Files · 2,400 Folders · 32 Total · 84.00 GB

Folder breakdown

Folder	Size
Installed games	72.00 GB
Captures	12.00 GB

Largest files · top 30

File	Size	Review
example-game.pack	18.00 GB	Show in Explorer

Growth since the previous complete scan

Compared with 10/1/2026, 3:17:22 PM · total change +2.50 GB

Folder	Change	Current size
Installed games	+2.00 GB	72.00 GB
Captures	+500.00 MB	12.00 GB

Uses logical file size, which can differ from space on disk. Linked folders are skipped. File Explorer opens on the gaming PC so you can review files and choose what to remove.

Scans do not delete files. Logical size differs from allocated space. Inaccessible entries and links are skipped.

Your second screen can do more.

Give paired devices the controls and transfer access you choose.

PHONE REMOTE

Stay in control

Control media, type text and use your phone as a trackpad. Optionally show the controls in Gaming View, Focus or fullscreen.

DROP ZONE

Send it to your gaming PC

Send supported files in small chunks with progress and cancellation. Default limit: 512 MB; customize it in Settings. Files stay local and never open automatically.

Enabled by you. On your trusted network.

Both features default off. Controls and destination changes require the PC owner. Pairing revocation removes access.

Ready to be heard. Ready to play.


Check the setup you rely on, then review what GAME ON found.

Mic. Camera. Audio.

See your microphone level, preview the camera, listen to a five-second sample and confirm speaker playback. The check is part of GAME ON.

Clearer cleanup results.

Deeper memory cleanup reports the measured RAM change. Selected-app closing confirms outcomes and gives you time to review them.



Device permissions are required. Capture stays local. Memory results vary, and apps are never force-terminated.

A dedicated app. A secure second screen.

DIAG feels at home on Windows and stays within your local network.

ON YOUR GAMING PC

Open your DIAG window

Dark title bar, a larger normal window, native Save dialogs and quick access from the tray. Closing the window keeps collection and recording running.

ON YOUR SECOND SCREEN

Encrypted and paired

Local HTTPS protects dashboard data, remote controls and transfers. Trust your gaming PC certificate once on each device, then scan the pairing QR.

Your PC. Your network. Your readings.

Setup checks WebView2; internet is needed only if its runtime is missing. Device trust is manual; no cloud relay or mobile app is required.

Meet your rig. Then put DIAG to the test.

DIAG 0.3.0-Alpha was compiled for testing on October 2, 2026.

01 / INSTALL

Start on your gaming PC

Use the DIAG Alpha Windows installer supplied with your testing materials. Open the dashboard from the system tray.

02 / EXPLORE

Make it your setup

Review your readings, choose your thresholds and pair a second screen. Try Game On before your next session.

03 / REVIEW

Shape what comes next

Record a session. Note what was useful, what was unclear and which readings were missing from your hardware.

WHAT TO EXPECT FROM THIS ALPHA

Windows 10/11 on Intel/AMD x64. Administrator approval is needed during setup. The installer is unsigned. Supported readings vary by hardware; AMD and Intel live-GPU coverage is limited. Update checks may require manual verification.

Want the full walkthrough? The accompanying DIAG User Guide explains every section, control and default threshold.